



MASTER GLASS LED candles and lusters

MAS LEDCandleDT5.9-60W E14 927 B35 CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lustres with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cosy atmosphere. The MASTER LED candles and lustres can be dimmed for different lumen level and also for the different colour temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data


General Information		Operating and Electrical	
Cap-Base	E14 [E14]	Line Frequency	50 to 60 Hz
Nominal lifetime	25,000 hour(s)	Input Frequency	50 to 60 Hz
Switching Cycle	20,000	Power Consumption	5.9 W
Lighting Technology	LED	Lamp Current (Nom)	40 mA
Flux measurement reference	Sphere	Wattage Equivalent	60 W
Light Technical		Starting Time (Nom)	0.5 s
Color Code	922-927 [CCT of 2200K-2700K]	Warm-up time to 60% light	0.5 s
Luminous Flux	806 lumen	Power Factor (Fraction)	0.6
Color Designation	Warm Glow(WG)	Voltage (Nom)	220-240 V
Correlated Color Temperature (Nom)	2200 2700 K	Temperature	
Luminous Efficacy (rated) (Nom)	136 lm/W	Ambient temperature range	-20 °C to 45 °C
Color Consistency	<6	T-Case Maximum (Nom)	70 °C
Color rendering index (CRI)	90		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

MASTER GLASS LED candles and lusters

Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	B35 [B 35mm]
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	6 kWh
EPREL Registration Number	1,109,147
CE mark	Yes



EU RoHS compliant	Yes
Product Data	
Full product code	871951444957200
Order product name	MAS LEDCandleDT5.9-60W E14 927 B35 CL G
Order code	44957200
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929003013982
Full product name	MAS LEDCandleDT5.9-60W E14 927 B35 CL G
EAN/UPC - Case	8719514449589

Dimensional drawing



Product	D	C
MAS LEDCandleDT5.9-60W E14 927 B35 CL G	35 mm	97 mm


Photometric data



Light Distribution Diagram - MAS LEDCandleDT5.9-60W E14 927 B35 CL G


MASTER GLASS LED candles and lusters

Photometric data




Spectral Power Distribution Colour - MAS LEDCandleDT5.9-60W E14 927 B35 CL G

Lifetime



Life Expectancy Diagram - MAS LEDCandleDT5.9-60W E14 927 B35 CL G



Lumen Maintenance Diagram - MAS LEDCandleDT5.9-60W E14 927 B35 CL G

