

CorePro LEDspot MV

CorePro LEDspotMV 5-50W GU10 827 36D



CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

• General Information

Cap base	GU10 [GU10]
Bulb shape	PAR16 [PAR 2 inch]
Nominal lifetime (nom.)	15000 h
B50L70	15000
Technical type	5-50W

• Light Technical

Beam Angle (Nom)	36 °
Luminous flux (nom.)	385 lm
Luminous flux (rated) (nom.)	385 lm
Luminous intensity (nom.)	900 cd
Colour designation	Warm white (WW)
Rated beam angle	36 °
Correlated colour temperature (nom.)	2700 K
Luminous efficacy (rated) (nom.)	70.00 lm/W
Colour consistency	<6
Color rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Luminous Flux In 90° Cone (Rated)	350 lm

• Operating and Electrical

Input frequency	50-60 Hz
Power (Rated) (Nom)	5 W
Lamp current (nom.)	40 mA

Wattage equivalent	50 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.5
Voltage (Nom)	220-240 V

• Temperature

T-Case maximum (nom.)	85 °C
-----------------------	-------

• Controls and Dimming

Dimmable	No
----------	----

• Approval and Application

Energy-saving product	Yes
Suitable for accent lighting	Yes
Energy efficiency label (EEL)	A+
Energy Consumption kWh/1000 h	5 kWh

• Product Data

Full product code	871869648598900
Order product name	CorePro LEDspotMV 5-50W GU10 827 36D
EAN/UPC – product	8718696485989
Order code	48598900
Numerator – quantity per pack	1


PHILIPS

CorePro LEDspot MV

Numerator – packs 10
per outer box

Material no. (12NC) 929001220402
Net weight (piece) 0.038 kg

Dimensional drawing




GU10 230V 5W-50W 36D 2700K ND


Product	D	C
<hr/>		
CorePro LEDspotMV 5-50W GU10 827 36D		

Accent Lighting - Spots

1 x GU10 5W 2700K 36D ND

1 x 375 lm





© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, October 14
data subject to change