

CorePro LEDlinear MV

CorePro LEDlinear ND 7.5-60W R7S 78mm840

CorePro R7S is a retrofit replacement for traditional double-ended linear R7S lamps.Its ‘light all around’ design delivers light that is just like a halogen lamp. The deep dimming function enables a cosy ambience when using a dimmable fixture.

Product data

General Information	
Cap base	R7S [R7s]
Nominal lifetime (nom.)	15000 h
Switching cycle	50000X
Technical type	7.5-60W

Light Technical	
Colour code	840 [CCT of 4000K (841)]
Luminous flux (nom.)	1000 lm
Luminous flux (rated) (nom.)	1000 lm
Colour designation	Cool White (CW)
Correlated colour temperature (nom.)	4000 K
Luminous efficacy (rated) (nom.)	133.33 lm/W
Colour consistency	<6
Color rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	7.5 W
Lamp current (nom.)	70 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	104 °C

Controls and Dimming	
Dimmable	No

Approval and Application	
Energy efficiency label (EEL)	A++
Energy Consumption kWh/1000 h	8 kWh

Product Data	
Full product code	871869671396900
Order product name	CorePro LEDlinear ND 7.5-60W R7S 78mm840
EAN/UPC – product	8718696713969
Order code	71396900
Numerator – quantity per pack	1
Numerator – packs per outer box	10
Material no. (12NC)	929001339102
Net weight (piece)	0.045 kg

CorePro LEDlinear MV

Dimensional drawing



Product	D	C
CorePro LEDlinear ND 7.5-60W R7S 78mm840	29 mm	78 mm

Linear 220V 8-60W 806lm 4000K R7S ND

Photometric data





CorePro LEDlinear MV 60W R7S 840 Linear



CorePro LEDlinear MV 60W R7S 840 Linear

CorePro LEDlinear MV

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

© 2018 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.