



MASTER GLASS LED candles and lusters

MAS LEDLusterDT3.5-40W E27 927 P45CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lustres with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cosy atmosphere. The MASTER LED candles and lustres can be dimmed for different lumen level and also for the different colour temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data

General Information		Stroboscopic effect value (SVM)	
Lighting Technology	LED	Stroboscopic effect value (SVM)	0.4
Flux measurement reference	Sphere	Operating and Electrical	
Switching Cycle	20,000	Line Frequency	50 to 60 Hz
Nominal lifetime	25,000 hour(s)	Input Frequency	50 to 60 Hz
Cap-Base	E27 [E27]	Power Consumption	3.4 W
Light Technical		Lamp Current (Nom)	24 mA
Color Code	922-927 [CCT of 2200K-2700K]	Wattage Equivalent	40 W
Luminous Flux	470 lumen	Starting Time (Nom)	0.5 s
Color Designation	Warm Glow(WG)	Warm-up time to 60% light	0.5 s
Correlated Color Temperature (Nom)	2200 2700 K	Power Factor (Fraction)	0.6
Luminous Efficacy (rated) (Nom)	138 lm/W	Voltage (Nom)	220-240 V
Color Consistency	<6	Temperature	
Color rendering index (CRI)	90	Ambient temperature range	-20 °C to 45 °C
LLMF At End Of Nominal Lifetime (Nom)	70 %	T-Case Maximum (Nom)	70 °C
Flickering value (PstLM)	0.9		

MASTER GLASS LED candles and lusters

Controls and Dimming

Dimmable	Only with specific dimmers
----------	----------------------------

Mechanical and Housing

Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	P45 [P 45mm]

Approval and Application


Energy Efficiency Class	D
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	1109145
CE mark	Yes

EU RoHS compliant	Yes
-------------------	-----

Product Data


Full product code	871951444953400
Order product name	MAS LEDLusterDT3.5-40W E27 927 P45CL G
Order code	44953400
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929003013282
Full product name	MAS LEDLusterDT3.5-40W E27 927 P45CL G
EAN/UPC - Case	8719514449541

Dimensional drawing




Product	D	C
MAS LEDLusterDT3.5-40W E27 927 P45CL G	45 mm	78 mm

Photometric data




Spectral Power Distribution Colour - MAS LEDLusterDT3.5-40W E27 927 P45CL G



Light Distribution Diagram - MAS LEDLusterDT3.5-40W E27 927 P45CL G

MASTER GLASS LED candles and lusters

Photometric data



General uniform lighting - MAS LEDLusterDT3.5-40W E27 927 P45CL G

Lifetime



Life Expectancy Diagram - MAS LEDLusterDT3.5-40W E27 927 P45CL G



Lumen Maintenance Diagram - MAS LEDLusterDT3.5-40W E27 927 P45CL G

